Weed Research, 1985, Volume 25, 467–470

AUTHOR INDEX

ABU-IRMAILEH, B. E. *See* QASEM, J. R.
ADDALA, M. S. A., HANCE, R. J. and DRENNAN, D. S. Studies on the site of uptake by plants of chlortoluron and terbutryne, 151
ADENEY, J. A. *See* BOWMER, K.H.
AYERBE, L. *See* GARCIA-BAUDIN, J. M.

BABIKER, A. G. T. *See* IBRAHIM, N. E.
BAKER, N. R. *See* HABASH, D.
BASTIDE, J. *See* SABADIE, J.
BERGMANNOVA, E. and TAIMR, L. Effect of chlorfenprop-methyl, flamprop-isopropyl and benzoylprop-ethyl on $^{14}CO_2$ fixation in *Avena fatua* L., *Triticum aestivum* L. and *Hordeum vulgare* L, 347
BLAIR, A. M. Influence of soil moisture on isoproturon activity against *Alopecurus myosuroides*, 141
BODDRELL, J. E. *See* ROBERTS, H. A.
BOWES, G. R. *See* MCLAUGHLIN, N. B.
BOWMER, K. H., SHAW, K. and ADENEY, J. A. Management of submerged aquatic macrophytes with terbutryne: availance, phytotoxicity and persistence, 449
BOUHACHE, M. et TANJI, A. Evaluation du stock en semences de la morelle jaune (*Solanum elaeagnifolium* Cav.) dans le sol du Tadla (Maroc), 11
BOULET, C. *See* TANJI, A.
BOURDÔT, G. W. and BUTLER, J. H. B. Control of *Achillea millefolium* L. (yarrow) by rotary cultivation and glyphosate, 251
BURRILL, L. *See* FISHER, H. H.
BUTLER, J. H. B. *See* BOURDÔT, G. W.

CABANNE, F. *See* GAILLARDON, P.
CADAHIA, E. *See* GARCIA-BAUDIN, J. M.
CALDWELL, C. D. *See* O'DONOVAN, J. T.
CAMPBELL, M. H. Germination, emergence and seedling growth of *Hypericum perforation* L., 259
CHAMPION, M. J. *See* DIPROSE, M. F.
CHANNON, P. *See* FARINA, M. P. W.
CHRIST, R. A. Effect of CGA 123407 as a safener for pretilachlor in rice (*Oryza sativa* L.). Recordings of elongation rates of single rice leaves, 193
COSTE, C. M. *See* SABADIE, J.
CROWLEY, J. and PRENDEVILLE, G. N. Effect of chlorsulfuron and 1,8-naphthalic anhydride on uptake of ^{45}Ca in maize, 341

DALE, J. E. Soybean weed control by chloramben granules coated with haloxyfop-methyl, 231
DANIELS, R. E. Studies in the growth of *Pteridium aquilinum* (L.) Kuhn (bracken) 1. Regeneration of rhizome segments, 381
DARMENCY, H. and PERNES, J. Use of wild *Setaria viridis* (L.) Beauv. to improve triazine resistance in cultivated *S. italica* (L.) by hybridization, 175
DIPROSE, M. F., FLETCHER, R., LONGDEN, P.C. and CHAMPION, M. J. Use of electricity to control bolters in sugar beet (*Beta vulgaris*.L.): a comparison of the electrothermal with chemical and mechanical cutting methods, 53
DRENNAN, D. S. *See* ADDALA, M. S. A.
DURST, F. *See* GAILLARDON, P.
DYCK, F. B. *See* MCLAUGHLIN, N. B.

EDWARDS, W. G. *See* IBRAHIM, N. E.
ELLIOT, P. *See* FISHER, H. H.
EVENSON, J. P. *See* WALKER, S. R.

FARINA, M. P. W., THOMAS, P. E. L. and CHANNON, P. Nitrogen, phosphorus and potassium effects on the incidence of *Striga asiatica* (L.) Kuntze in maize, 443
FIELD, R. J. *See* KANNANGARA, H. W.
FISHER, H. H., LOPEZ, F., MARGATE, L., ELLIOT, P. and BURRILL, L. Problems in control of *Rottboellia exaltata* L.f. in maize in Bukidnon Province, Mindanao, Philippines, 93
FLETCHER, R. *See* DIPROSE, M. F.
FORCELLA, F. Final distribution is related to rate of spread in alien weeds, 181
FRIESEN, D. *See* O'SULLIVAN, P. A.

GAILLARDON, P., CABANNE, F. SCALLA, R. and DURST, F. Effect of mixed function oxidase inhibitors on the toxicity of chlortoluron and isoproturon to wheat, 397
GARCIA-BAUDIN, J. M., LANSAC, A. R., AYERBE, L., TENORIO, J. L. and CADAHIA, E. Use of substituted urea herbicides for weed control in *Euphorbia lathyris* L., a potential fuel-producing crop, 319
GARCÍA-TORRES, L. *See* MESA-GARCÍA, J.
GHERSA, C. M. *See* SATORRE, E. H.
GONZALEZ-MURUA, C., MUNOZ-RUEDA, A., HERNANDO, F. *and* SANCHEZ-DIAZ, M. Effect of atrazine and methabenzthiazuron on oxygen evolution and cell growth of *Chlorella pyrenoidosa*, 61
GREAVES, M. P. *See* MUDD, P. J.

HABASH, D., PERCIVAL, M. P. and BAKER, N. R. Rapid chlorophyll fluorescence technique for the study of penetration of photosynthetically active herbicides into leaf tissue, 389
HAMMOUMI, M. *See* TANJI, A.
HANCE, R. J. *See* ADDALA, M. S. A.
HERNANDO, F. *See* GONZALEZ-MURUA, C.
HOROWITZ, M. and TAYLORSON, R. B. Behaviour of hard and permeable seeds of *Abutilon theophrasti* Medic. (velvetleaf), 363
HSIAO, A. I. and QUICK, W. A. Wild oats (*Avena fatua* L.) seed dormancy as influenced by sodium hypochlorite, moist storage and gibberellin A_3, 281

IBRAHIM, N. E., BABIKER, A. G. T., EDWARDS, W. G. and PARKER, C. Activity of extracts from *Euphorbia* species on the germination of *Striga* species, 135

JESSOP, R. S. *See* PURVIS, C. E.
JOHANSSON, T. Herbicide injections into stumps of aspen and birch to prevent regrowth, 39

KANNANGARA, H. W. and FIELD, R. J. Environmental and physiological factors affecting the fate of seeds of yarrow (*Achillea millefolium* L.) in arable land in New Zealand, 87
KANNANGARA, H. W. and FIELD, R. J. Growth of seedling *Achillea millefolium* L. (yarrow) in association with pea (*Pisum sativum* L.), 355
KHAN, S. U., WARWICK, S. I. and MARRIAGE, P. B. Atrazine metabolism in resistant and susceptible biotypes of *Chenopodium album* L., *Chenopodium strictum* Roth., and *Amaranthus powellii* S. Wats., 33
KOSTYAL, S. *See* SOLYMOSI, P.

LADIGES, P. Y. *See* MCINTYRE, S.
LANSAC, A. R. *See* GARCIA-BAUDIN, J. M.
LAPHAM, J. Unrestricted growth, tuber formation and spread of *Cyperus esculentus* L. in Zimbabwe, 323
LAWSON, H. M. and TOPHAM, P. B. Competition between annual weeds and vining peas grown at a range of population densities: effects on the weeds, 221
LINDSAY, T. M. *See* MCLAUGHLIN, N. B.
LONGDEN, P. C. *See* DIPROSE, M. F.
LOPEZ, F. *See* FISHER, H. H.
LOVETT, J. V. *See* PURVIS, C. E.

MARGATE, L. *See* FISHER, H. H.
MARRIAGE, P. B. Y. *See* KHAN, S. U.
MCINTYRE, S. and LADIGES, P. Y. Aspects of the biology of *Ehrharta erecta* Lam., 21
MCLAUGHLIN, N. B., BOWES, G. R., THOMAS, A. G., DYCK, F. B., LINDSAY, T. M. and WISE, R. F. A new design for a seed germinator with 100 independently temperature controlled cells, 161
MESA-GARCÍA, J. and GARCÍA-TORRES, L. *Orobanche crenata* (Forsk) control in *Vica faba* (L.) with glyphosphate as affected by herbicide rates and parasite growth stages, 129
MOSS, S. R. The survival of *Alopecurus myosuroides* Huds. seeds in soil, 201
MUDD, P. J., GREAVES, M. P. and WRIGHT, S. J. L. Effects of isoproturon in the rhizosphere of wheat, 423
MUNOZ-RUEDA, A. *See* GONZALEZ-MURUA, C.

O'DONOVAN, J. T., O'SULLIVAN, P. A. and CALDWELL, C. D. Basis for changes in glyphosate phytotoxicity to barley by the non-ionic surfactants Tween 20 and Renex 36, 81
O'LEARY, N. F. and PRENDEVILLE, G. N. Uptake and phytotoxicity of chlorsulfuron in *Zea mays* L. in the presence of 1, 8-napthalic anhydride, 331
O'SULLIVAN, P. A. *See* O'DONOVAN, J. T.
O'SULLIVAN, P. A., WEISS, G. M. and FRIESEN, D. Tolerance of spring wheat (*Triticum aestivum* L.) to trifluralin deep-incorporated in the autumn or spring, 275
OSWALD, A. K. Effects of three herbicides used to control volunteer ryegrass on tillering and seed yield of two second year perennial ryegrass crops, 373

PANETTA, F. D. Population studies on pennyroyal mint (*Mentha pulegium* L.) I. Germination and seedling establishment, 301
PANETTA, F. D. Population studies on pennyroyal mint (*Mentha pulegium* L.) II. Seed banks, 311
PARKER, C. *See* IBRAHIM, N. E.
PATARO, A. M. *See* SATORRE, E. H.
PERCIVAL, M. P. *See* HABASH, D.
PERNES, J. *See* DARMENCY, H.
PETERS, N. C. B. Competitive effects of *Avena fatua* L. plants derived from seeds of different weights, 67
PILLMOOR, J. B. Influence of temperature on the activity of AC 222,293 against *Avena fatua* L. and *Alopecurus myosuroides* Huds., 433
PRENDEVILLE, G. N. *See* O'LEARY, N. F. *See also* CROWLEY, J.
PURVIS, C. E., JESSOP, R. S. and LOVETT, J. V. Selective regulation of germination and growth of annual weeds by crop residues, 415

QASEM, J. R. and ABU-IRMAILEH, B. E. Allelopathic effect of *Salvia syriaca* L. (Syrian sage) in wheat, 47
QUICK, W. A. *See* HSIAO, A. I.

ROBERTS, H. A. and BODDRELL, J. E. Temperature requirements for germination of buried seeds of *Aethusa cynapium* L., 267

SABADIE, J., BASTIDE, J. et COSTE, C. M. Dégradation catalytique de carbamates herbicides deposés sur bentonites homoioniques. I. Cas du barbane, 111
SABADIE, J., BASTIDE, J. et COSTE, C. M. Dégradation catalytique de carbamates herbicides deposés sur bentonites homoioniques. II. Cas du chlorbufame, 121
SABADIE, J. et COSTE, C. M. Dégradation catalytique de carbamates et amides acétyléniques herbicides sur bentonites homoioniques: aspects particuliers, 403
SANCHEZ-DIAZ, M. *See* GONZALEZ-MURUA, C.
SATORRE, E. H., GHERSA, C. M. and PATARO, A. M. Prediction of *Sorghum halepense* (L.) Pers. rhizome sprout emergence in relation to air temperature, 103
SCALLA, R. *See* GAILLARDON, P.
SHAW, K. *See* BOWMER, K. H.
SOLYMOSI, P. and KOSTYAL, S. Mapping of atrazine resistance for *Amaranthus retroflexus* L. in Hungary, 411

TAIMR, L. *See* BERGMANNOVA, E.
TANJI, A. *See* BOUHACHE, M.
TANJI, A., BOULET, C. et HAMMOUMI, M. Etat actuel de l'infestation par *Solanum elaeagnifolium* Cav. pour les différentes cultures du périmètre du Tadla (Maroc), 1
TAYLORSON, R. B. *See* HOROWITZ, M.
TENORIO, J. L. *See* GARCIA-BAUDIN, J. M.
THOMAS, A. G. *See* MCLAUGHLIN, N. B.
THOMAS, P. E. L. *See* FARINA, M. P. W.
TOPHAM, P. B. *See* LAWSON, H. M.
TURNER, D. J. Improved control of *Stellaria media* (L.) Vill in leys with *Trifolium repens* L., using bentazone and benazolin with additives, 289

VAUGHN, K. C. Physical basis for the maternal inheritance of triazine resistance in *Amaranthus hybridus*, 15

WALKER, S. R. and EVENSON, J. P. Biology of *Commelina benghalensis* L. in south-eastern Queensland. 1. Growth, development and seed production, 239
WALKER, S. R. and EVENSON, J. P. Biology of *Commelina benghalensis* L. in south-eastern Queensland. 2. Seed dormancy, germination and emergence, 245
WARWICK, S. I. *See* KHAN, S. U.
WEISS, G. M. *See* O'SULLIVAN, P. A.
WILSON, B. J. Effect of seed age and cultivation on seedling emergence and seed decline of *Avena fatua* L. in winter barley, 213
WISE, R. F. *See* MCLAUGHLIN, N. B.
WRIGHT, S. J. L. *See* MUDD, P. J.